

- In addition to routine checks for each use, PPE should regularly undergo a detailed inspection by a competent person. Petzl recommends an inspection every 12 months and after any exceptional event in the life of the product.
 - PPE inspection should be conducted with the manufacturer's Instructions for Use.
- Download the instructions at [PETZL.COM](https://www.petzl.com).



ABSORBICA

User information

Surname

Address

Identifier

PPE information

Model

Serial number

Year of manufacture

Date of purchase

Date of first use

Manufacturer: Petzl, ZI Cidex 105A - 38920 Crolles - France

<input checked="" type="radio"/> Good condition (G)	<input type="radio"/> To monitor (TM)	<input type="radio"/> To repair (TR)	<input type="radio"/> Do not use, retire (R)	<input type="radio"/> N/A Not applicable
---	---------------------------------------	--------------------------------------	--	---

1. Known product history

Usage conditions or exceptional event during use (examples: fall or fall arrest, use or storage at extreme temperatures, modification outside manufacturer's facilities...):

☒ ☐ ☐ ☐ ☐ N/A

2. Preliminary observations

- Verify the presence and legibility of the serial number and the CE mark.
- Verify that the product lifetime has not been exceeded.
- Compare with a new device to verify there are no modifications or missing elements.

☐ ☐ ☐ ☐ ☐

3. Checking the condition of the lanyard arms

- Depending on the lanyard model, remove the carabiners and STRINGs from the different arms.
- Or move the connectors to inspect the hidden parts.
- Look for wear and damage due to use (cuts, fuzziness, signs of chemicals...).
- Check the condition of the safety stitching on both sides. Look for any threads that are loose, worn, or cut.

☐ ☐ ☐ ☐ ☐

4. Checking the condition of the energy absorber

- Check the condition of the pouch. Look for wear and damage due to use (cuts, fuzziness, signs of chemicals...).
 - Open the pouch and pull out the energy absorber.
 - Look for wear and damage due to use (cuts, fuzziness, signs of chemicals...).
 - Check the condition of the safety stitching on both sides. Look for any threads that are loose, worn, or cut.
- Verify that the energy absorber has not sustained an impact load (verify that none of the fabric between the straps has been torn).
- For the 2016 and later models of the ABSORBICA I or Y, verify that the fall indicator has not been torn.
 - Put the energy absorber back in the pouch and close it.

☐ ☐ ☐ ☐ ☐

5. Inspection of the harness attachment point

- Depending on the lanyard model, remove the carabiner and the STRING.
- Or move the connector to inspect the hidden parts.
- Look for wear and damage due to use (cuts, fuzziness, signs of chemicals...).

☐ ☐ ☐ ☐ ☐

6. Checking the condition of the lanyard end connectors

- For connector inspection, see the inspection form for your connector model at Petzl.com.

☐ ☐ ☐ ☐ ☐

7. Checking the protection elements

- Check the condition of the STRINGs.
- Reinstall the STRINGs on the arms and on the harness attachment point.
- Reinstall the connectors.
- Verify that the connector/sling/STRING assembly is correct.
- Verify that the STRING correctly positions the connector.

☐ ☐ ☐ ☐ ☐

Comments (detail here any defects found on the product and accomplished tasks)

VERDICT

☐ Product **fit** to remain in service

☐ Product **unfit** to remain in service

Inspected by

Company

Date Next inspection date