

- In addition to routine checks for each use, PPE should regularly undergo a detailed inspection by a competent person. Petzl recommends an inspection every 12 months and after any exceptional event in the life of the product.
 - PPE inspection should be conducted with the manufacturer's Instructions for Use.
- Download the instructions at [PETZL.COM](https://www.petzl.com).



HELMETS

User information

Surname

Address

Identifier

PPE information

Model

Serial number

Year of manufacture

Date of purchase

Date of first use

Manufacturer: Petzl, ZI Cidex 105A - 38920 Crolles - France

<input checked="" type="radio"/> Good condition (G)	<input type="radio"/> To monitor (TM)	<input type="radio"/> To repair (TR)	<input type="radio"/> Do not use, retire (R)	<input type="radio"/> N/A Not applicable
---	---------------------------------------	--------------------------------------	--	---

1. Known product history

Usage conditions or exceptional event during use (examples: fall or fall arrest, use or storage at extreme temperatures, modification outside manufacturer's facilities...):

2. Preliminary observations

- Verify the presence and legibility of the serial number and the CE mark.
- Verify that the product lifetime has not been exceeded.
- Compare with a new device to verify there are no modifications or missing elements.

<input checked="" type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	N/A
----------------------------------	-----------------------	-----------------------	-----------------------	-----------------------	-----

3. Checking the shell

- Check the condition of the outside of the shell (marks, impacts, deformation, cracks, burns, wear, signs of chemical products...).
- Check the condition of the inside of the shell (marks, deformation, cracks, missing parts...). WARNING: do not remove the liner that is attached to the shell.
- Remember: personalizing or marking the helmet must not be done with chemical products. Use water-based adhesives for any marking.
- Check the condition of the slots and holes for mounting accessories (deformation, cracks...).
- Check the condition and function of the ventilation shutters (for VERTEX VENT, ELIOS...).

<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
-----------------------	-----------------------	-----------------------	-----------------------	-----------------------

4. Checking the liner

- Check the condition of the liner (marks, deformation, cracks, missing parts...).
- Remove the comfort parts to inspect the hidden areas.
WARNING: do not remove the liner that is attached to the shell.

<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
-----------------------	-----------------------	-----------------------	-----------------------	-----------------------

5. Checking the cradle (webbing head harness)

- Check the condition of the straps and their attachments to the shell (wear, cuts, burns, deformation of plastic pieces).

<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
-----------------------	-----------------------	-----------------------	-----------------------	-----------------------

6. Checking the headband

- Check the condition of the headband and its attachments to the shell (wear, deformation, missing parts...).
- If necessary, remove the foams or comfort parts to inspect the hidden areas.

<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
-----------------------	-----------------------	-----------------------	-----------------------	-----------------------

7. Checking the adjustment system

- Check the condition of the adjustment system and its attachments to the shell (wear, deformation, missing parts...).
 - Check the function of the adjustment system.
- Operate the adjustment system in both directions. Pull on the system to verify that it does not lose its adjustment setting.

<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
-----------------------	-----------------------	-----------------------	-----------------------	-----------------------

8. Checking the chin strap

- Check the condition of the chin strap and the adjustment parts (wear, cuts, burns, deformation of plastic pieces).
- Move the keepers and plastic pieces to inspect any hidden areas on the straps.
- Check the condition of the chin strap buckle (wear, deformation, breakage). Test the reliability of the fastening by pulling gently on the chin strap.

<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
-----------------------	-----------------------	-----------------------	-----------------------	-----------------------

9. Checking the comfort foams

- Check the condition of the comfort foams. If necessary, remove them for washing or replacement.

<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
-----------------------	-----------------------	-----------------------	-----------------------	-----------------------

10. Checking the headlamp clips

- Check the condition of the headlamp clips (wear, deformation, missing parts...).

<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
-----------------------	-----------------------	-----------------------	-----------------------	-----------------------

11. Checking accessories

- If accessories are mounted on the helmet, check their condition and make sure they are working properly (face shield, headlamp...).

<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
-----------------------	-----------------------	-----------------------	-----------------------	-----------------------

Comments (detail here any defects found on the product and accomplished tasks)

VERDICT

- ☐ Product **fit** to remain in service
- ☐ Product **unfit** to remain in service

Inspected by

Company

Date Next inspection date